

shinetoo®

The Future Shines Brighter Together



UL: E361637




G1-S2 HIGH MAST LIGHTS 300W, 400W

APPLICATIONS

- Sporting facilities and stadium lighting
- High mast roadway lighting
- Airport security lighting
- International borders
- Industrial & Commercial parking lots
- Rail yard lighting


DIMENSIONS & WEIGHT




FIXTURE WEIGHT : 43 lbs

★ HANDLE THREE VIEW DRAWING


① Front View



② Left View




③ Vertical View



Jiaxing Shinetoo Lighting Co.,Ltd(China Factory)

Add:No.258, Xingchang Road, Xincheng Town, Xiuzhou District, Jiaxing, Zhejiang, China 314015
Tel: +86-573-8350-0001 Fax: +86-573-8350-0005
Mobile: +86-138-0961-6725/+86-138-1878-3129
Email:Sales@stedlights.com

PHOTOMETRICS



ORDERING INFORMATION

EXAMPLE PART #: ST-G1-S3 - 300 - NICHIA - MEANWELL - 3K-3000K - 70 - 100/277V

| ST-G1-S2 | | NICHIA | MEANWELL | | | |
|----------|------------|------------------|----------|--|----------------|---------------------------------|
| SERIES | WATTS | LED LIGHT SOURCE | DRIVER | CCT | CRI | INPUT POWER |
| ST-G1-S2 | 300 400 | NICHIA | MEANWELL | 3K-3000k 4K-4000k 5K-5000k 5.7K-5700k 6.5K-6500k | 70 80 90 | 100-277V 180-528V (Optional) |

SPECIFICATIONS

Beam Angle | Asymmetric
Lumen Output | 39,000LM / 52,000LM
OPERATING TEMPERATURE | -104°F to 122°F
IP RATING | IP 65
LIFE TIME | 50,000hours

LISTINGS

UL Listed
DLC Listed

Other Details

Fixture Material | Aluminum
Mounting | U-Bracket / Slip Fitter (optional)
Color | Grey(Other color available)
Warranty | 7 years
EPA | 0.75 ft²—1.25 ft²


Jiaying Shinetoo Lighting Co.,Ltd(China Factory)

Add.No.258, Xingchang Road, Xincheng Town, Xiuzhou District, Jiaying, Zhejiang, China 314015
Tel : +86-573-8330-0001 Fax : +86-573-8330-0005
Mobile : +86-138-0961-6725/+86-138-1878-3129
Email:Sales@stledlights.com

SPARE PARTS (Order accessories as separate part number from your Fixture Model No.)



COVER ASYMMETRICAL




PROTECTIVE GRID




LOUVER ASYMMETRICAL




①



②




③



④

ADAPTERS NOTE: We can customize different types adapters and arms.

ADJUSTABLE MOUNT



Adjustable loop mounting bracket rotates 180° for convenient optical control and easy replacement of existing fixture installations.